Product information

PI 44/12/01/2021

Motorbike 4T Synth 10W-60 Street Race



Description

Fully synthetic high-performance motor oil. Ensures maximum performance and protection of the engine under all operating conditions. Optimum lubrication, outstanding engine cleanliness, excellent friction and minimum wear are just as much taken for granted as gentle clutch engagement and disengagement and gear shifting. That makes a big difference to driving enjoyment! Tested on engines with catalytic converters. Tested on racing machines.

Properties

- outstanding engine cleanliness
- optimum stability to aging
- low evaporation loss
- miscible with all commercially available motor oils
- tested for the use with catalytic converters
- guarantees low oil consumption
- suitable for wet clutches
- excellent wear protection
- increases the lubricating effect

Approvals

API SN PLUS • JASO MA2

Technical data

SAE class (engine oils) 10W-60

SAE J300

Density at 15 °C 0,85 g/cm³

DIN 51757

Viscosity at 40 °C 176 mm²/s

ASTM D 7042-04

Viscosity at 100 °C 25 mm²/s

ASTM D 7042-04

Viscosity at -30 °C (MRV) < 60000 mPas

ASTM D 4684

Viscosity at -25 °C (CCS) \leftarrow = 7000 mPas

ASTM D 5293

Viscosity index 175

DIN ISO 2909

Pour point -39 °C

DIN ISO 3016

Evaporation loss (Noack) 4,9 %

CEC-L-40-A-93

Flash point 250 °C

DIN ISO 2592

Total base number 7 mg KOH/g

DIN ISO 3771

Sulfate ash 0,8 g/100g

DIN 51575



Technical data

Color number (ASTM) L 2,0

DIN ISO 2049

Areas of application

Developed for air and water-cooled 4-stroke engines exposed to normal to extreme operating conditions. For sporting applications. Suitable for engines with or without a wet clutch.

Application

The operating instructions of the engine manufacturers must be followed.

Note: Optimum effectiveness only when the product is used on its own (i.e. no mixing).

Available pack sizes

1 l Canister plastic 1525

D-BOOKLET

4 l Canister plastic 1687

D-BOOKLET

20 l Canister plastic 1527

D-GB

60 l Drum sheet metal 2724

D-GB

205 l Drum sheet metal 21109

D-GB

Our information is based on thorough research and may be considered reliable, although not legally binding.