

Battery Clamp Grease Spray

Description

Special grease spray which is compatible with plastics and is formulated for the maintenance and care of vehicle electronic systems, particularly the battery terminals and electrical connectors. Ensures reliable starting and a longer battery life. Offers high corrosion protection and prevents leakage currents. Prevents the contact resistance from increasing during operation and ensures lower loss than with untreated contacts.



Our information is based on thorough research and may be considered reliable, although not legally binding.

Properties

- compatible with plastics
- prevents the contact resistance from increasing during operation and ensures lower loss than with untreated contacts
- good corrosion protection
- prevents leakage currents
- good electronic properties

Technical data

Saponification type	Calciumseife
NLGI number	2 DIN 51818
Color / appearance	red
Form	aerosol, liquid
Dropping point for the solids	100 °C DIN ISO 2176
Worked penetration	265-295 DIN 51804
Operating temperature range	-30 to +60 °C
Emcor corrosion class	0/0 DIN 51802
Odor	characteristic
Flash point	-60 °C

Areas of application

Used especially for battery terminals, connections and plug connectors in vehicle electronic systems.

Comment

After application respect airing time of 10 min., before connecting the part to a power supply unit.

Application

Clean contaminated components and treat with Battery Clamp Grease. Gently shake spray can before use.

Available pack sizes

300 ml Can aerosol 3141
D-GB-I-E-P